

Data Sheet



HF 100 L Carbide burs



Properties: Conical round-nosed burr - Designation in accordance with DIN 8032: KEL Advantages: For difficult-to-access areas

Diameter in mm	Length in mm	Shaft diameter in mm	Height in mm	Cut	Max. RPM in rpm	structural shape	Shaft length in mm	Cat.number
3	38	3	14	double serration	100.000	ball nosed tree	24	296199
12,7	77	6	32	double serration	35.000	ball nosed tree	45	296192
6	50	6	18	double serration	65.000	ball nosed tree	32	296200
9,6	76	6	30	double serration	55.000	ball nosed tree	45,8	296201
8	70	6	25,4	double serration	55.000	ball nosed tree	44,6	296205
12,7	77	6	32	coarse single serration	35.000	ball nosed tree	45	297470
9,6	76	6	30	coarse single serration	55.000	ball nosed tree	45,8	300055
8	70	6	25,4	Stainless steel cut	55.000	ball nosed tree	44,6	334171
9,6	76	6	30	Steel cut	55.000	ball nosed tree	46	334172
12,7	77	6	32	Steel cut	35.000	ball nosed tree	45	334173
12,7	77	6	32	Stainless steel cut	35.000	ball nosed tree	45	334174
10	65	6	20	Stainless steel cut	55.000	ball nosed tree	45	334204