


Product Data Sheet

MaxiFlex® Ultimate™ with AD-APT® 42-874

| | |
|-------------------------|--------------------------------|
| Colour – Coating | Black |
| Colour – Liner | Grey |
| Design | Palm coated knitwrist |
| Coating | NBR (Nitrile Butadiene Rubber) |
| Coating texture | Micro-Foam for Controlled Grip |
| Liner | Nylon, Spandex |
| Palm thickness | 1.00 mm |



Dimensions

| Size Range | Size 5 (XXS) | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) | Size 12 (XXXL) |
|-------------------------------|-----------------|----------------|---------------|------------|---------------|-----------------|------------------|-------------------|
| Total glove length (+/-10 mm) | 185 | 195 | 205 | 215 | 220 | 225 | 230 | 240 |
| Wrist length (mm) | 55 | 60 | 65 | 65 | 70 | 70 | 70 | 75 |
| Wrist width (mm) | 65 | 65 | 65 | 70 | 75 | 75 | 80 | 80 |
| Palm width (+/-3 mm) | 75 | 80 | 82 | 87 | 94 | 97 | 100 | 105 |
| Over lock colour | Purple | Blue | Red | Orange | White | Yellow | Black | Green |

EN test Results

| Test | Notified Body | Result/Pass |
|-------------------------|---------------|-------------|
| EN 420: 2003 + A1: 2009 | TÜV Rheinland | Yes |
| EN 388: 2016 | TÜV Rheinland | 4131A |

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".



Product Data Sheet

MaxiFlex® Ultimate™ with AD-APT® 42-874

Typical Performance Values

| | |
|------------------------------------|---------------|
| EN 420 Dexterity | Level 5 |
| EN 388:2016 A. Abrasion Resistance | > 8000 Cycles |
| EN 388:2016 B. Cut Resistance | > 1.2 index |
| EN 388:2016 C. Tear Resistance | > 50 newtons |
| EN 388:2016 D. Puncture Resistance | > 20 newtons |
| EN 388:2016 E. Cut Resistance ISO | ≥ 2 Newton |

HandCare®

| | |
|--|-----------|
| Skin Health Alliance Dermatologically Accredited | Yes |
| REACH compliant | Yes |
| Oeko-Tex® 100 | Certified |
| Sanitized® | Yes |



Special features

| | |
|---------------|-----|
| Silicone free | Yes |
| AD-APT® | Yes |



Product Data Sheet

MaxiFlex® Ultimate™ with AD-APT® 42-874

Packaging

| | |
|-------------------------------|-----------------|
| Pairs per poly bag | 12 |
| Poly bags per carton | 12 |
| Carton count | 144 |
| Carton dimensions (mm) | 500 x 295 x 270 |

Weight

| Size Range | Size 5 (XXS) | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) | Size 12 (XXXL) |
|------------------------------------|-----------------|----------------|---------------|---------------|---------------|-----------------|------------------|-------------------|
| Glove weight / Pair (+/-6 gram) | 28 | 30 | 34 | 40 | 42 | 44 | 46 | 50 |
| Gross Weight (Kg) | 5.1 | 5.3 | 5.9 | 6.8 | 7.1 | 7.4 | 7.6 | 8.2 |
| Carton Weight (Kg) | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Net Weight (Kg) | 4.1 | 4.3 | 4.9 | 5.8 | 6.1 | 6.4 | 6.6 | 7.2 |

Issue date: 23.04.2019

